

Work Order ID 146050

Friday, May 06, 2016 8:58:17 AM

146050

Page 1

Item ID: D5155-043 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Co-Pilot Collective Head Assembly (212)
 Start Date: 5/5/2016 Start Qty: 3.00 ***2*** **5** **8/15** Cust Item ID:
 Required Date: 5/14/2016 Req'd Qty: 3.00 ***2*** **5** Customer:
 Reference:

Approvals: Process Plan: dm Date: 16/05/06 Tooling: _____ Date: _____
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
 Run Start ***NR1***
 Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D5155	B

110 Weld per dwg A/R Aluminum rod Batch: M/27397 0.00
110
 Large Fab Memo 0.30 5 12 16-7-5
 Large Fab WELD D4410-7 to D5155-3 AS PER DWG

120 QC9- Inspect visual per QSI004- Fusion Welds 0.00
120
 QC Memo 0.03 5 16-07-07 DAS
 Quality Control 9
 9-89

130 QC5- Inspect part completeness to step on W/O 0.00
130
 QC Memo 0.03 5 16-07-07 DAS
 Quality Control 9
 9-89

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval				
Description Work Order Deviation				Disposition				Completed By			
Root Cause				FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
OTHER : ☐											

Work Order ID 146050

Friday, May 06, 2016 8:58:17 AM

146050

Page 3

Item ID: D5155-043

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Co-Pilot Collective Head Assembly (212)

Start Date: 5/5/2016 Start Qty: 3.00 ***3***

Cust Item ID:

Required Date: 5/14/2016 Req'd Qty: 3.00 ***3***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

170

0.00

170

Small Fab

Memo

0.30

Small Fab

RE-PASS HELICOIL TAP IN THREADS AND INSTALL HELI-COIL
ASSEMBLE AS PER DWG,

5	FF	JUL 20 2016
---	----	-------------

180

QC5- Inspect part completeness to step on W/O 0.00

180

QC

Memo

0.03

Quality Control

(5)		DAS 38 9-89
-----	--	-------------------

JUL 20 2016

190

Identify as per dwg & Stock Location: 57373 0.00***190***

Packaging

Memo

0.03

Packaging

5		DAS 6 9-89
---	--	------------------

JUL 21 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By _____		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Friday, May 06, 2016 8:58:17 AM

Page 1

Work Order ID: 146050

146050

Parent Item: D5155-043

D5155-043

Parent Item Name: Co-Pilot Collective Head Assembly (212)

Start Date: 5/5/2016

Required Date: 5/14/2016

Start Qty: 3.00

Required Qty: 3.00

Comments: IPP REV:A 15.05.07 NEW ISSUE DD VERF:JLM IPP
REV:B 15.07.02 AS PER DWG REV.B DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4410-7		Manufactured	No				Each	9.0000		3			
D4410-7									**				
Conduit													
				<u>Location</u>			<u>Loc Qty</u>		<u>Loc Code</u>				
				WA001			8						
				143490			8						
				WA002			1						
				140235			1						
D5155-3		Manufactured	No				Each	3.0000		3			
D5155-3									**				
Co-Pilot Collective Head (212)													
				<u>Location</u>			<u>Loc Qty</u>		<u>Loc Code</u>				
				WA002			3						
				143451			3						
D5155-11		Manufactured	No				Each	0.0000		3			
D5155-11									**				
Co-Pilot Collective Head (212)													
D5156-11		Manufactured	No				Each	6.0000		3			
D5156-11									**				
Back Plate													
				<u>Location</u>			<u>Loc Qty</u>		<u>Loc Code</u>				
				ST156			6						
				134705			6						

JUL 19 2016

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td style="border: none;"></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐																																																	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																																																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																																																																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																																																																						
Large Fab ☐	Composite ☐	Supplier ☐																																																																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																																		
Description Work Order Deviation				Disposition				Completed By																																																																	
Root Cause				FAULT CATEGORY																																																																					
<table style="width:100%; border: none;"> <tr> <td style="border: none;">Environment ☐</td> <td style="border: none;">No Re-verification ☐</td> </tr> <tr> <td style="border: none;">Design ☐</td> <td style="border: none;">Operator ☐</td> </tr> <tr> <td style="border: none;">Doc/Data ☐</td> <td style="border: none;">Offset/Setup ☐</td> </tr> <tr> <td style="border: none;">Equip/Tooling ☐</td> <td style="border: none;">Supplier ☐</td> </tr> <tr> <td style="border: none;">Handling/Pre ☐</td> <td style="border: none;">Training ☐</td> </tr> <tr> <td style="border: none;">Material ☐</td> <td style="border: none;">Use for Testing ☐</td> </tr> <tr> <td style="border: none;">Internal Transport ☐</td> <td style="border: none;">Poor Information ☐</td> </tr> <tr> <td style="border: none;">Tribal Knowledge ☐</td> <td style="border: none;">Rushing ☐</td> </tr> <tr> <td style="border: none;">LOA ☐</td> <td style="border: none;">Product Improvement ☐</td> </tr> <tr> <td style="border: none;">Substation ☐</td> <td style="border: none;">Process Improvement ☐</td> </tr> <tr> <td style="border: none;">Past Expiry Date ☐</td> <td style="border: none;">Manufacturing Process ☐</td> </tr> <tr> <td style="border: none;">Misidentified ☐</td> <td style="border: none;">Past Due ☐</td> </tr> </table>				Environment ☐	No Re-verification ☐	Design ☐	Operator ☐	Doc/Data ☐	Offset/Setup ☐	Equip/Tooling ☐	Supplier ☐	Handling/Pre ☐	Training ☐	Material ☐	Use for Testing ☐	Internal Transport ☐	Poor Information ☐	Tribal Knowledge ☐	Rushing ☐	LOA ☐	Product Improvement ☐	Substation ☐	Process Improvement ☐	Past Expiry Date ☐	Manufacturing Process ☐	Misidentified ☐	Past Due ☐	<table style="width:100%; border: none;"> <tr> <td style="border: none;">Pressure/Forced ☐</td> <td style="border: none;">Temperature/Cure ☐</td> <td style="border: none;">Power Loss/Surge ☐</td> <td style="border: none;">Positioned Wrong ☐</td> </tr> <tr> <td style="border: none;">Bending ☐</td> <td style="border: none;">Set-up ☐</td> <td style="border: none;">Folio/Program ☐</td> <td style="border: none;">Outside Dimensions ☐</td> </tr> <tr> <td style="border: none;">Centre Not Concentric ☐</td> <td style="border: none;">BOM/Route ☐</td> <td style="border: none;">Grain ☐</td> <td style="border: none;">Over/Under tolerance ☐</td> </tr> <tr> <td style="border: none;">Cracks ☐</td> <td style="border: none;">Broken/Damage/Defect ☐</td> <td style="border: none;">Weld ☐</td> <td style="border: none;">Part Incorrect ☐</td> </tr> <tr> <td style="border: none;">Crimp/Kink/Ripple/Wave ☐</td> <td style="border: none;">Inspection Incomplete/Unqualified ☐</td> <td style="border: none;">Wrong Stock Pulled ☐</td> <td style="border: none;">Part Lost/Missing ☐</td> </tr> <tr> <td style="border: none;">Cuffs ☐</td> <td style="border: none;">Contamination ☐</td> <td style="border: none;">Out of Sequence ☐</td> <td style="border: none;">Part Moved ☐</td> </tr> <tr> <td style="border: none;">Crushing ☐</td> <td style="border: none;">Countersink ☐</td> <td style="border: none;">Off-set ☐</td> <td style="border: none;">Drawing ☐</td> </tr> <tr> <td style="border: none;">Heat Treat ☐</td> <td style="border: none;">Cut Too Short ☐</td> <td style="border: none;">Mislabeled ☐</td> <td style="border: none;">Finish ☐</td> </tr> <tr> <td style="border: none;">Wave/Twist in Tube ☐</td> <td style="border: none;">Instructions Incomplete/Unclear ☐</td> <td style="border: none;">Fit/Function ☐</td> <td style="border: none;">Misread ☐</td> </tr> <tr> <td style="border: none;">Marks/Chatter ☐</td> <td style="border: none;">Drill Holes ☐</td> <td style="border: none;">Misaligned/off center ☐</td> <td style="border: none;">Turning Sequence ☐</td> </tr> </table>						Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Environment ☐	No Re-verification ☐																																																																								
Design ☐	Operator ☐																																																																								
Doc/Data ☐	Offset/Setup ☐																																																																								
Equip/Tooling ☐	Supplier ☐																																																																								
Handling/Pre ☐	Training ☐																																																																								
Material ☐	Use for Testing ☐																																																																								
Internal Transport ☐	Poor Information ☐																																																																								
Tribal Knowledge ☐	Rushing ☐																																																																								
LOA ☐	Product Improvement ☐																																																																								
Substation ☐	Process Improvement ☐																																																																								
Past Expiry Date ☐	Manufacturing Process ☐																																																																								
Misidentified ☐	Past Due ☐																																																																								
Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐																																																																						
Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐																																																																						
Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐																																																																						
Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐																																																																						
Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐																																																																						
Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐																																																																						
Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐																																																																						
Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐																																																																						
Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐																																																																						
Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐																																																																						
OTHER :																																																																									

Picklist Print

Friday, May 06, 2016 8:58:17 AM

Page 2

Work Order ID: 146050

146050

Parent Item: D5155-043

D5155-043

Parent Item Name: Co-Pilot Collective Head Assembly (212)

Start Date: 5/5/2016

Required Date: 5/14/2016

Start Qty: 3.00

Required Qty: 3.00

90296A108

Purchased

No

Each

312.0000

33

90296A108

Heli-Coil Insert

DAS
9-89

Location

Loc Qty

Loc Code

GA

138

m132757

138

53

ST564

174

m128972

174

MS16562-223

Purchased

No

Each

35.0000

6

MS16562-223

Spring Pin

DAS
6
9-89

Location

Loc Qty

Loc Code

ST316

35

120229

15

m134574

20

6

4

MS24693-24B

Purchased

No

Each

220.0000

21

MS24693-24R

Screw

FF

Location

Loc Qty

Loc Code

GA

25

m133790

25

4 ✓

ST288

195

m132256

45

m134676

150

24

10 ✓

DAS
6
9-89

JUL 19 2016

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : ☐					

ITEM	QTY	P/N	DESCRIPTION
1	X	D5155-041	CO-PILOT COLLECTIVE HEAD ASSEMBLY (205)
2	1	D4410-7	CONDUIT
3	1	D5155-1	CO-PILOT COLLECTIVE HEAD (205)
4	1	D5155-9	CO-PILOT COLLECTIVE HEAD (205)
5	1	D5156-9	BACK PLATE
6	11	90296A108	HELI-COIL INSERT (6-32 X 0.276)
7	2	MS16562-223	SLOTTED SPRING PIN
8	7	MS24693-24B	SCREW, CSK 100*




D5155-041 WELDING DETAIL

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER WELDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.08 lbs
- 8) WELD PER DART QSI 004
- 9) INSTALL AFTER ANODIZING

D5155-041 CO-PILOT COLLECTIVE HEAD ASSEMBLY (205)



RELEASED

A.P. 2015 JUL 02 ECU 15-577


B	REVISE DIM: ZN D3-7, REVISE NOTE 2, ZN A8-13, A8-14, REVISE LENGTH OF PIN: ZN D6-1, D6-2, D5-3, D5-4, REVISE DEPTH: ZN C7-5, C7-7, C7-9, C7-11, C5-13, C4-14, REVISE DIM: ZN C7-5, C7-7, C7-9, C6-11, B7-13, B7-14, B2-5, B2-7, B2-9, B2-11, C5-13, C4-14, D8-6, D8-8, D8-10, D5-8, D5-8, D5-10, D5-12, B8-7, D7-12, C7-5, C7-7, C7-9, C6-11, D2-13, D2-14	VS	15.05.21
A	NEW ISSUE	VS	14.08.10
REV.	DESCRIPTION	BY	DATE
DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 1 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

APPROVED

w/o A6050

dm 16/05/06

ITEM	QTY	P/N	DESCRIPTION
1	X	D5155-043	CO-PILOT COLLECTIVE HEAD ASSEMBLY (212)
2	1	D4410-7	CONDUIT
3	1	D5155-3	CO-PILOT COLLECTIVE HEAD (212)
4	1	D5155-11	CO-PILOT COLLECTIVE HEAD (212)
5	1	D5156-11	BACK PLATE
6	11	90296A108	HELL-COIL INSERT (6-32 X 0.276)
7	2	MS16562-223	SLOTTED SPRING PIN
8	7	MS24693-24B	SCREW, CSK 100°




D5155-043 WELDING DETAIL

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER WELDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.20 lbs
- 8) WELD PER DART QSI 004
- 9) INSTALL AFTER ANODIZING

D5155-043 CO-PILOT COLLECTIVE HEAD ASSY (212)




RELEASED

A.L. 2015 JUL 02


APPROVED

DESIGN	VS	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 2 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PROPRIETARY AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

ITEM	QTY	P/N	DESCRIPTION
1	X	D5155-045	CO-PILOT COLLECTIVE HEAD ASSEMBLY (EAGLE SINGLE)
2	1	D4410-7	CONDUIT
3	1	D5155-5	CO-PILOT COLLECTIVE HEAD (EAGLE SINGLE)
4	1	D5155-9	CO-PILOT COLLECTIVE HEAD (205)
5	1	D5156-9	BACK PLATE
6	11	90296A108	HELI-COIL INSERT (6-32 X 0.276)
7	2	MS16562-223	SLOTTED SPRING PIN
8	7	MS24693-24B	SCREW, CSK 100*



D5155-045 WELDING DETAIL



D5155-045 CO-PILOT COLLECTIVE HEAD ASSY (EAGLE SINGLE)

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER WELDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.06 lbs
- 8) WELD PER DART QSI 004
- 9) INSTALL AFTER ANODIZING


APPROVED

DESIGN	VS	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 3 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED

15 JUL 02

ITEM	QTY	P/N	DESCRIPTION
1	X	D5155-047	CO-PILOT COLLECTIVE HEAD ASSEMBLY
2	1	D5054-1	CONDUIT
3	2	D5073-1	SNAP RING
4	1	D5155-7	CO-PILOT COLLECTIVE HEAD (205)
5	1	D5155-8	CO-PILOT COLLECTIVE HEAD (205)
6	1	D5156-9	BACK PLATE
7	11	90296A108	HELI-COIL INSERT (6-32 X 0.276)
8	2	MS16562-223	SLOTTED SPRING PIN
9	7	MS24693-24B	SCREW, CSK 100*
10	1	MS27641-3	BEARING




D5155-047 WELDING DETAIL

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER WELDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.14 lbs
- 8) WELD PER DART QSI 004
- 9) INSTALL AFTER ANODIZING

**D5155-047 CO-PILOT COLLECTIVE HEAD ASSY
FOR 205 WITH 204-001-290-5 STICK AND THROTTLE ASSEMBLY INSTALLED**







RELEASED

15 JUL 02

APPROVED

DESIGN	VS	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 4 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



RELEASED

A.E. 2015 JUL 02

NOTES:

1) MATERIAL: 6061-T6/T651/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B

2) FINISH: NONE

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: IDENTIFY PER QSI 044.6.3 IN THIS AREA TO MAX DEPTH
OF 0.010 WITH A MIN. TOOL RAD OF R0.010


7) WEIGHT: 0.47 lbs

8) UNDIMENSIONED FEATURES ARE DEFINED BY D5155-1.SLDPRT


D5155-1 CO-PILOT COLLECTIVE HEAD (205)

APPROVED


DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 5 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PROPRIETARY AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




VIEW B-B
B5-5



SECTION D-D
D8-5



VIEW C-C
D7-5



DETAIL E
B7-5

RELEASED
A.R. 2015 JUL 02



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

D5155-1 CO-PILOT COLLECTIVE HEAD (205)
DETAIL VIEWS


APPROVED

DESIGN	VS	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 6 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



VIEW F-F

B7-7



RELEASED

A.P. 2015 JUL 02

NOTES:

- 1) MATERIAL: 6061-T6/T651/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.3 IN THIS AREA TO MAX DEPTH
OF 0.010 WITH A MIN. TOOL RAD OF R0.010
- 7) WEIGHT: 0.51 lbs
- 8) UNDIMENSIONED FEATURES DEFINED BY D5155-3.SLDPRT

D5155-3 CO-PILOT COLLECTIVE HEAD (212)

APPROVED

DESIGN	VS	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 7 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


8 7 6 5 4 3 2 1

D


C

B


A



VIEW G-G
B6-7



VIEW H-H
D7-7



SECTION I-I
D6-7

- NOTES:
 1) MATERIAL: N/A
 2) FINISH: N/A
 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 6) IDENTIFICATION: N/A
 7) WEIGHT: N/A





D5155-3 CO-PILOT COLLECTIVE HEAD (212)
DETAIL VIEWS

RELEASED
A.P. 2015 JUL 02

APPROVED

DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	RF	DRAWING NO. D5155	REV. B
MFG. APPR.	JFS		SHEET 8 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1



NOTES:


- 1) MATERIAL: 6061-T6/T651/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.3 IN THIS AREA TO MAX DEPTH
OF 0.010 WITH A MIN. TOOL RAD OF R0.010
- 7) WEIGHT: 0.45 lbs
- 8) UNDIMENSIONED FEATURES DEFINED BY D5155-5.SLDPRT

D5155-5 CO-PILOT COLLECTIVE HEAD (EAGLE SINGLE)

RELEASED
A.R. 2015 JUL 02


APPROVED

DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 9 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




VIEW K-K

B6-9




SECTION M-M

D6-9



VIEW L-L

D7-9



DETAIL N

B7-9

RELEASED

4.9. 2015 JUL 02


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A


**D5155-5 CO-PILOT COLLECTIVE HEAD (EAGLE SINGLE
DETAIL VIEWS**

APPROVED

DESIGN	VS	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 10 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




B7-11




A-P. 2015 JUL 02

D5155-7 CO-PILOT COLLECTIVE HEAD (205)


DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D1515 TITLE CO-PILOT COLLECTIVE HEAD COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PROVIDED AS INFORMATION ONLY. NO WARRANTY IS MADE. IT IS NOT TO BE USED FOR ANY PURPOSE, OR DEPEND ON OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.	REV. B
DRAWN	VS		SHEET 11 OF 11
CHECKED	RF		SCALE
MFG. APPR.	JFS		NTS
APPROVED	HS		
DE APPR.	DS		
DATE 15.05.21			




VIEW P-P
BS-11




VIEW Q-Q
D7-11



SECTION R-R
C6-11



DETAIL S
B6-11



SECTION T-T
B2-11

RELEASED
A.R. 2015 JUL 02







NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

D5155-7 CO-PILOT COLLECTIVE HEAD (205)
DETAIL VIEWS

APPROVED

DESIGN	VS	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 12 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



NOTES:







- 1) MATERIAL: 6061-T6/T651/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II
OR IIB CLASS 2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.3 IN THIS AREA TO MAX DEPTH
OF 0.010 WITH A MIN. TOOL RAD OF R0.010
- 7) WEIGHT: 0.31 lbs
- 8) ENGRAVE "DART" LOGO AS SHOWN 0.003-0.005 DP
- 9) UNDIMENSIONED FEATURES DEFINED BY D5155-9.SLDPRT

D5155-9 CO-PILOT COLLECTIVE HEAD (205)

RELEASED
4.R. 2015 JUL 02

APPROVED

DESIGN	VS	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 13 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



NOTES:

- 1) MATERIAL: 6061-T6/T651/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II
OR IIB CLASS 2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.3 IN THIS AREA TO MAX DEPTH
OF 0.010 WITH A MIN. TOOL RAD OF R0.010
- 7) WEIGHT: 0.36 lbs
- 8) ENGRAVE "DART" LOGO AS SHOWN 0.003-0.005 DP
- 8) UNDIMENSIONED FEATURES DEFINED BY D5155-11.SLDPRT

D5155-11 CO-PILOT COLLECTIVE HEAD (212)

RELEASED

A.R. 2015 JUL 02

APPROVED

DESIGN	VS
DRAWN	VS
CHECKED	RF
MFG. APPR.	JFS
APPROVED	HS
DE APPR.	DS
DATE	15.05.21

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D5155** REV. B
SHEET 14 OF 14
TITLE **CO-PILOT COLLECTIVE HEAD** SCALE NTS

COPYRIGHT © 2013 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPLICIT CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO32971**

Purchase Order Date 7/8/2016

PO Print Date 7/13/2016

Page Number 1 of 5

Order From :

VC-ATG001

Ship To : DART AEROSPACE LTD

A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

613-446-4544

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	147832	D5155-11 CO-PILOT REV. B	7/18/2016 Yes 7/18/2016 BLACK ANODIZE AS PER MIL-A-8625F TYPE MIL-A-8625F TYPE I/IB/IC/II/IIB CLASS 2		4.00	\$13.89	\$55.56
Line Total:							\$55.56
2	146050	D5155-043 CO-PILOT REV. B	7/18/2016 Yes 7/18/2016 BLACK ANODIZE AS PER MIL-A-8625F TYPE MIL-A-8625F TYPE I/IB/IC/II/IIB CLASS 2		5.00	\$13.89	\$69.45
Line Total:							\$69.45
3	146088	D4726-1 HANDLE REV. A	7/18/2016 Yes 7/18/2016 BLACK ANODIZE AS PER MIL-A-8625F TYPE MIL-A-8625F TYPE III, CLASS 2		10.00	\$2.70	\$27.00

Note:

7/13/2016



A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE STREET
ROCKLAND, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 911973

Date: 18-Jul-16

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

CHANTAL LAVOIE
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
		BEST WAY	
Quantity	Description		
	PLEASE REFERENCE THE PACK LIST NUMBER ON ALL CORRESPONDENCE TO THIS SHIPMENT. IF YOU HAVE ANY QUESTIONS, PLEASE CALL AT (613) 446-4544.		
4 ea	Part: D5155-11 Co-Pilot Job: 19783	Rev: B PO: PO32971	Line: 1
12 ea	Part: 646.3711 CLIP Job: 19792	Rev: A PO: PO32971	Line: 10
1 ea	Part: ADMINISTRATION FEE ADMINISTRATION FEE Job: 19794	Rev: PO: PO32971	Line: 12
17 ea	Part: 646.3715 DOUBLER Job: 19793	Rev: A PO: PO32971	Line: 13
5 ea	Part: D5155-043 ✓ CO-PILOT Job: 19784	Rev: B PO: PO32971	Line: 2
10 ea	Part: D4726-1 HANDLE Job: 19785	Rev: A PO: PO32971	Line: 3
10 ea	Part: D4703-043 LOCK PIN Job: 19786	Rev: A PO: PO32971	Line: 4
6 ea	Part: 647.3916 DEFLECTOR Job: 19787	Rev: C PO: PO32971	Line: 5

SP 16-7-19



A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE STREET
ROCKLAND, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 911973

Date: 18-Jul-16

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

CHANTAL LAVOIE
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
		BEST WAY	
Quantity	Description		
4 ea	Part: D4974-1 UPPER RAIL Job: 19788	Rev: D PO: PO32971	Line: 6
10 ea	Part: 647.7813 CENTER PLATE Job: 19789	Rev: A PO: PO32971	Line: 7
16 ea	Part: 646.3717 DOUBLER Job: 19790	Rev: A PO: PO32971	Line: 8
2 ea	Part: D4973-1 UPPER CUTTER Job: 19791	Rev: C PO: PO32971	Line: 9
DATE: <u>18/7/16</u>			
CERTIFIED SIGNATURE: <u>[Signature]</u>			
RECEIVER SIGNATURE: <u>[Signature]</u>			
Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt.			
CERTIFICATE OF CONFORMANCE			
A.T.G. INDUSTRIES INC. CERTIFIES THAT ALL ITEMS IN THIS SHIPMENT CONFORM TO REQUIREMENTS.			
MADE IN CANADA.			